

CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 1 of 13

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the	ne label : CS433	
Product Code(s)	: Not available.	
Recommended use of the cl	nemical and restrictions on use	
Chemical family	 Wax Dispersant Use pattern: Professional Use (Recommended restrictions: No Mixture 	5
Name, address, and telep of the supplier:	hone number	Name, address, and telephone number of the manufacturer:
CEDA Industrial Services	LP	Refer to supplier
2130 121 Avenue NE Edmonton, AB, T6S 1B1		
Supplier's Telephone #	: 780-472-6766	
24 Hr. Emergency Tel #	: 780-472-6766	

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear yellow to amber liquid. Aromatic odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification: Flammable liquids -Category 1 Skin Irritation - Category 2 Serious eye damage/eye irritation - Category 1 Skin sensitization - Category 1A Reproductive Toxicity - Category 2 Carcinogenicity - Category 2 Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects Aspiration Toxicity - Category 1

Label elements

Hazard pictogram(s)



DANGER!



CS433 SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 2 of 13

SAFETY DATA SHEET

Hazard statement(s)

Extremely flammable liquid and vapor. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Suspected of causing cancer. May cause respiratory irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Precautionary statement(s)

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Use non-sparking tools. Take precautionary measures against static discharge. Ground and bond container and receiving equipment. Use explosion-proof electrical and ventilating equipment. Avoid breathing mist or vapours. Wash hands after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye/face protection.

IF exposed or concerned: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Static discharges or other ignition sources at temperatures higher than the flash point could cause a fire.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
VM & P naphtha	Mineral spirits	8032-32-4	45.0 - 48.0



CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 3 of 13

SAFETY DATA SHEET

Xylenes	Dimethylbenzene; Methyltoluene; Xylol	1330-20-7	35.0 - 40.0	
Hydrocarbons, terpene processing by-products	Terpene	68956-56-9	12.0 - 15.0	
Ethylbenzene	Ethylbenzol Phenylethane	100-41-4	1.0 - 5.0	
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine	68584-24-7	0.5 - 1.0	
1,2,4-Trimethyl benzene	Pseudocumene	95-63-6	0.5 - 1.0	

The % concentrations for the above listed chemicals will vary from batch to batch. Concentrations listed represent the actual concentration range for each chemical.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Decemption of motiana h	iououi oo
Ingestion	 Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.
Inhalation	 If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Obtain medical attention if symptoms develop and persist.
Skin contact	: Flush skin with large amounts of water. If irritation or symptoms develop, seek medical attention.
Eye contact	 Flush eyes with water for at least 20 minutes.Immediately call a POISON CENTER or doctor/physician.
Most important sympton	ns and effects, both acute and delayed
	: Causes serious eye damage. Symptoms may include redness, pain, tearing and conjunctivitis. Permanent eye damage including blindness could result. Causes skin irritation. Symptoms may include redness, itching and swelling. May cause an allergic skin reaction (e.g. swelling, rash and eczema). Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. May cause respiratory irritation. Ingestion may

cause irritation of the mouth, throat and stomach. Suspected of damaging fertility or the unborn child. Suspected of causing cancer.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Aspiration hazard. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media Suitable extinguishing media	
: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.	
Unsuitable extinguishing media	
: Do not use a solid water stream as it may scatter and spread fire.	
Special hazards arising from the substance or mixture / Conditions of flammability	
 Extremely flammable liquid and vapor. Vapor may cause flash fireBurning may produce irritating, toxic and obnoxious fumes.Vapours may be heavier than air and may collect in confined and low-lying areas. 	l
Flammability classification (OSHA 29 CFR 1910.106)	
: Flammable liquid -Category 1	
Hazardous combustion products	
 May form toxic materials, such as carbon dioxide, carbon monoxide, various hydrocarbons, nitrigen compounds, etc. when burned. 	



CS433 SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 4 of 13

SAFETY DATA SHEET

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Wear suitable protective equipment. Refer to protective measures listed in sections 7 and 8. Restrict access to area until completion of clean-up.
 Environmental precautions

 Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

 Methods and material for containment and cleaning up

 Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

 Special spill response procedures

 Contact appropriate local and provincial environmental authorities for assistance
 - Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.
 - US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Extremely flammable. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Avoid contact with eyes, skin and clothing. Keep away from incompatibles. Wash thoroughly after handling. Avoid breathing mist or vapor. Persons with recurrent skin eczema or sensitization problems should be excluded from working with this product. Once a person is sensitized, no further exposure to the material that caused the sensitization should be permitted. Keep away from flames and hot surfaces No smoking. Use non-sparking tools and explosion-proof equipment. Keep container tightly closed. Use explosion-proof electrical and ventilating equipment. Bond and ground transfer containers and equipment. Take precautionary measures against static discharges.
Conditions for safe storage	:	Store locked up. Store in a cool, dry, well-ventilated area. Keep container tightly closed. Ground and bond containers when transferring material. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.
Incompatible materials	:	Strong acids ;Strong oxidizing agents (e.g. hydrogen peroxide, nitric acid)



CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 5 of 13

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH TLV		OSHA PEL	
	TWA	<u>STEL</u>	PEL	<u>STEL</u>
VM & P naphtha	N/Av	N/Av	N/Av	N/Av
Xylenes	100 ppm	150 ppm	100 ppm (435 mg/m³)	N/Av
Hydrocarbons, terpene processing by-products	N/Av	N/Av	N/Av	N/Av
Ethylbenzene	20 ppm	N/Av	100 ppm (435 mg/m³)	N/Av
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	N/Av	N/Av	N/Av	N/Av
1,2,4-Trimethyl benzene	25 ppm (mixed isomers)	N/Av	25 ppm (trimethylbenzene isomers) (final rule limit)	N/Av

Exposure controls

Ventilation and engineering measures

		Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof electrical and ventilating equipment.
Respiratory protection	:	Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust and/or fumes). Advice should be sought from respiratory protection specialists.
Skin protection	:	Wear protective gloves/clothing. Advice should be sought from glove suppliers.
Eye / face protection	:	Wear eye/face protection. Wear safety glasses with side shields (or goggles).
Other protective equipment	:	Wear sufficient clothing to prevent skin contact. Depending on conditions of use, an impervious apron should be worn. An eyewash station and safety shower should be made available in the immediate working area.
General hygiene considerati	on	5
	:	Avoid contact with skin, eyes and clothing. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Clear amber or yellow liquid.
Odour	:	Characteristic aromatic hydrocarbon odour
Odour threshold	:	N/Av
рН	:	Not available.
Melting/Freezing point	:	<-35°C
Initial boiling point and boil	al boiling point and boiling range	
	:	Not available.
Flash point	:	6-10°C
Flashpoint (Method)	:	Tag closed cup
Evaporation rate (BuAe = 1)) :	Not available.



CS433 SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 6 of 13

SAFETY DATA SHEET

Flammability (solid, gas)	: Not applicable.			
Lower flammable limit (% by	vol.)			
	: N/Ap			
Upper flammable limit (% by	vol.)			
	: N/Ap			
Oxidizing properties	: Not applicable			
Explosive properties	: Not applicable.			
Vapour pressure	: Not available.			
Vapour density	: Not available.			
Relative density / Specific gra	avity			
	: 0.785			
Solubility in water	: Partially soluble.			
Other solubility(ies)	: Not available.			
Partition coefficient: n-octane	Partition coefficient: n-octanol/water or Coefficient of water/oil distribution			
	: N/Av			
Auto-ignition temperature	: Not applicable.			
Decomposition temperature	: Not available.			
Viscosity	: Not available.			
Volatiles (% by weight)	: Not available.			
Volatile organic Compounds	(VOC's)			
	: N/Av			
Absolute pressure of container				
	: N/Ap			
Flame projection length				
r laine projection longth	: N/Ap			
Other physical/chemical com	•			
	•			

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: This product is not reactive.
Chemical stability	: Material is stable under normal conditions.
Possibility of hazardous rea	actions
	No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Avoid contact with incompatible materials. Do not use in areas without adequate ventilation. Keep away from heat, sparks and open flame.
Incompatible materials	: See Section 7 (Handling and Storage) for further details.
Hazardous decomposition	products
	: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES					
Routes of entry skin & eye	:	YES					
Routes of entry Ingestion	:	YES					
Routes of exposure skin absorption							
	:	NO					



CS433 SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 7 of 13

SAFETY DATA SHEET

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

		May cause headache, nausea, dizziness and other symptoms of central nervous system depression. May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath.
Sign and symptoms ingestic	n	
	:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard. Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing.
Sign and symptoms skin	:	Causes skin irritation. Symptoms may include redness, itching and swelling.
Sign and symptoms eyes	:	Causes serious eye damage. Symptoms may include redness, pain, tearing and conjunctivitis. Permanent eye damage including blindness could result.
Potential Chronic Health Eff		
	:	Frequent or prolonged contact may dry the skin, leading to discomfort and dermatitis.
Mutagenicity	:	Not expected to be mutagenic in humans.
Carcinogenicity	:	This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Carcinogenicity- Category 2 Suspected of causing cancer. Contains Ethylbenzene. Ethylbenzene is classified as carcinogenic by IARC (Group 2B) and ACGIH (Category A3).
Reproductive effects & Tera	τοg	enicity
	:	This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Reproductive Toxicity - Category 2 Suspected of damaging fertility or the unborn child. This product contains Xylene. Xylene may cause fetotoxic effects (e.g. reduced fetal weight, delayed ossification, behavioral effects) at doses which are not maternally toxic, based on animal data.
Sensitization to material	:	This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Skin sensitization - Category 1A May cause an allergic skin reaction.
Specific target organ effects	5 :	This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects May cause respiratory irritation. May cause drowsiness or dizziness.
		Not classified as specific target organ toxicity-repeated exposure.
Medical conditions aggravat	ted	
		None known.
Synergistic materials	:	Not available.
	:	
Toxicological data	:	There is no data available for this product. The calculated ATE values for this mixture are:
		ATE inhalation (vapours) = 22.48 mg/L



CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 8 of 13

SAFETY DATA SHEET

	LC₅₀(4hr)	LD50		
Chemical name	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>	
VM & P naphtha	3400 ppm (16mg/L)	>5000 mg/kg	>2000 mg/kg	
Xylenes	6350 ppm (27.6 mg/L) (vapour)	3253 mg/kg	12 180 mg/kg	
Hydrocarbons, terpene processing by-products	N/Av	N/Av	N/Av	
Ethylbenzene	4000 ppm (17.4 mg/L) (vapour)	3500 mg/kg	15 380 mg/kg	
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	N/Av	>2000 mg/kg	N/Av	
1,2,4-Trimethyl benzene	18 mg/L (vapour)	5000 mg/kg	> 3160 mg/kg	

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

: Not classified for hazards to the environment. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow material to contaminate ground water system.

Ecotoxicity data:

		Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
VM & P naphtha	8032-32-4	11.4 mg/L (Rainbow trout)	N/Av	None.		
Xylenes	1330-20-7	8.2 mg/L (Rainbow trout)	N/Av	None.		
Hydrocarbons, terpene processing by-products	68956-56-9	5.07 mg/L (Zebra fish)	N/Av	None.		
Ethylbenzene	100-41-4	4.2 mg/L (Rainbow trout)	1.13 mg/L (30 days) (QSAR)	None.		
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	68584-24-7	N/Av	N/Av	None.		
1,2,4-Trimethyl benzene	95-63-6	7.72 mg/L (Fathead minnow)	N/Av	None.		



CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 9 of 13

SAFETY DATA SHEET

Ingredients	CAS No	Toxicity to Daphnia			
		EC50 / 48h	NOEC / 21 day	M Factor	
VM & P naphtha	8032-32-4	4.5mg/L (Daphnia magna)	0.17mg/L (Daphnia magna)	None.	
Xylenes	1330-20-7	3.2 - 9.56 mg/L (Daphnia magna)	N/Av	None.	
Hydrocarbons, terpene processing by-products	68956-56-9	2.1mg/L (Daphnia magna)	N/Av	None.	
Ethylbenzene	100-41-4	1.81 mg/L (Daphnia magna)	N/Av	None.	
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	68584-24-7	N/Av	N/Av	None.	
1,2,4-Trimethyl benzene	95-63-6	3.6 mg/L (Daphnia magna)	N/Av	None.	

Ingredients	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
VM & P naphtha	8032-32-4	3.1 mg/L/72 hours (Green algea)	0.5mg/L (Green algae)	None.		
Xylenes	1330-20-7	3.2 - 4.9 mg/L/72hr (Green algae)	N/Av	None.		
Hydrocarbons, terpene processing by-products	68956-56-9	3.081mg/L (Green algae)	N/Av	None.		
Ethylbenzene	100-41-4	3.6 mg/L/96hr (Green algae)	3.4 mg/L/96hr	None.		
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	68584-24-7	N/Av	N/Av	None.		
1,2,4-Trimethyl benzene	95-63-6	2.356 mg/L/96hr (Green algae) (QSAR)	N/Av	None.		

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: No data is available on the product itself. See the following data for ingredient information.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
VM & P naphtha (CAS 8032-32-4)	3.6-5.7	105-1216
Xylenes (CAS 1330-20-7)	3.12 - 3.2	50 - 58
Hydrocarbons, terpene processing by-products (CAS 68956-56-9)	4.24	N/Av
Ethylbenzene (CAS 100-41-4)	3.15	1.1 - 1.5
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine (CAS 68584-24-7)	3.16 e	1.2
1,2,4-Trimethyl benzene (CAS 95-63-6)	3.78	31 - 275



CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 10 of 13

SAFETY DATA SHEET

Mobility in soil Other Adverse Environme	 No data is available on the product itself. ntal effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
SECTION 13. DISPOSAL	CONSIDERATIONS
Handling for Disposal	 Collect and reclaim or dispose in sealed containers at licensed waste disposal site.Dispose of contents/container in accordance with local/regional/national/international regulations.
Methods of Disposal	 Dispose in accordance with all applicable federal, state, provincial and local regulations.
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label	
TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (VM&P Naphtha)	3	I	3	
TDG Additional information	Please consult	the TDG guidelines for further information.	I			
49CFR/DOT	UN1993	Flammable Liquids, n.o.s. (VM&P Naphtha)	3	I	3	
49CFR/DOT Additional information	May be shipped	as a Limited Quantity according to packaging section	173.150.			
ICAO/IATA	UN1993	Flammable liquid, n.o.s. (VM & P Naphtha)	3	I	3	
ICAO/IATA Additional information	Refer to ICAO/	ATA Packing Instruction			•	
IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (VM&P Naphtha)	3	I	3	
IMDG Additional information	Consult the IMI	DG regulations for exceptions.	[<u> </u>	·	

Special precautions for user : Keep away from heat, sparks and open flame. - No smoking. **Environmental hazards**

: This substance does not meet the criteria for an environmentally hazardous substance according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.



CS433

SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 11 of 13

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS #	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
VM & P naphtha	8032-32-4	Yes	N/Ap	N/Av	No	N/Ap	
Xylenes	1330-20-7	Yes	100 lbs / 45.4 kg	None.	Yes	1%	
Hydrocarbons, terpene processing by-products	68956-56-9	Yes	N/Ap	N/Av	No	N/Ap	
Ethylbenzene	100-41-4	Yes	1000 lb/ 454 kg	None.	Yes	0.1%	
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	68584-24-7	Yes	N/Ap	N/Av	No	N/Ap	
1,2,4-Trimethyl benzene	95-63-6	Yes	None.	None.	Yes	1%	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable; Eye Damage; Skin irritation; Skin sensitization; Carcinogenicity; Reproductive toxicity; Aspiration hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	Californ	State "Right to Know" Lists						
	CA3 #	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
VM & P naphtha	8032-32-4	No	N/Ap	No	No	Yes	Yes	Yes	No
Xylenes	1330-20-7	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Hydrocarbons, terpene processing by-products	68956-56-9	No	N/Ap	No	No	No	No	No	No
Ethylbenzene	100-41-4	Yes	Cancer	Yes	Yes	Yes	Yes	Yes	Yes
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	68584-24-7	No	N/Ap	No	No	No	No	No	No
1,2,4-Trimethyl benzene	95-63-6	No	N/Ap	No	Yes	Yes	Yes	Yes	No

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).



CS433 SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 12 of 13

SAFETY DATA SHEET

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
VM & P naphtha	8032-32-4	232-453-7	Present	Present	N/Av	KE-21994	Present	N/Av
Xylenes	1330-20-7	215-535-7	Present	Present	(3)-60; (3)-3	KE-35427	Present	HSR000983
Hydrocarbons, terpene processing by-products	68956-56-9	273-309-3	Present	Present	N/Av	KE-20100	Present	N/Av
Ethylbenzene	100-41-4	202-849-4	Present	Present	(3)-60; (3)-28	KE-13532	Present	HSR001151
Benzenesulfonic acid, C10-16-alkyl derivatives, compounds with 2-Propanamine	68584-24-7	271-531-5	Present	N/Av	N/Av	N/Av	N/Av	N/Av
1,2,4-Trimethyl benzene	95-63-6	202-436-9	Present	Present	(3)-7; (3)-3427	KE-34410	Present	HSR001382

SECTION 16. OTHER INFORMATION

Legena	Legend	
--------	--------	--

: ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980

CFR: Code of Federal Regulations

CSA: Canadian Standards Association

DOT: Department of Transportation

EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

- LD: Lethal Dose
- MN: Minnesota

N/Ap: Not Applicable

N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

- PA: Pennsylvania
- PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TLV: Threshold Limit Values

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System



CS433 SDS Preparation Date (mm/dd/yyyy): 08/24/2017

Page 13 of 13

SAFETY DATA SHEET

References

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016

2. International Agency for Research on Cancer Monographs, searched 2017

- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases,
- 2017(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. US EPA Title III List of Lists - 2017 version.

6. California Proposition 65 List - 2017 version.

7. OECD - The Global Portal to Information on Chemical Substances -

eChemPortal,2017.

Preparation Date (mm/dd/yyyy)

: 08/24/2017

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared for:

CEDA Industrial Services LP 2130 121 Avenue NE Edmonton, AB T6S 1B1 780-472-6766



Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by CEDA Industrial Services LP and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and CEDA Industrial Services LP expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and CEDA Industrial Services LP

END OF DOCUMENT