

SAFETY DATA SHEET

Issuing Date 14-Aug-2017

Revision Date 25-Jan-2019

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

	1. IDENTIFICATION	
Product identifier		
Product Name	E.S. 800	
Other means of identification		
(M)SDS Number	1396409	
Recommended use of the chemical	and restrictions on use	
Recommended Use	No information available	
Uses advised against	No information available	
Details of the supplier of the safety data sheet		
Supplier Identification Address	CEDA Specialty Services LP 2130-121 Ave. NE Edmonton, Alberta T6S 1B1 Canada	
Telephone	(780) 472-6766	
E-mail Emergency telephone number	info@cedagroup.com	

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1



Appearance Gray

Physical state Paste / Gel

Odor Solvent

GHS Label elements, including precautionary statements

Danger

Hazard statements

May cause cancer Causes damage to organs through prolonged or repeated exposure Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Immediately call a POISON CENTER or doctor

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

Call a POISON CENTER or doctor if you feel unwell

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance



Not applicable.

<u>Mixture</u>

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Proprietary Resin	-	30-35	-	-
Kaolin	1332-58-7	30-35	-	-
Quartz	14808-60-7	10-15	-	-
Refractory ceramic fibers	142844-00-6	5-10	-	-
Cellulose	9004-34-6	5-10	-	-
Aluminum	7429-90-5	5-10	-	-

4. FIRST AID MEASURES

First aid measures		
General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.	
Inhalation	Get medical attention immediately if symptoms occur.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	-
	respirable fraction	(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 0.1 mg/m ³ (vacated)	IDLH: 50 mg/m3 respirable dust
14808-60-7	fraction		TWA: 0.05 mg/m ³ respirable
			dust
Cellulose	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
9004-34-6		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m ³ total	



					dust) TWA: 5 mg/m ³ rable fraction		
Aluminum		TWA: 1 mg/m ³ r			mg/m ³ total dust		/A: 10 mg/m ³ total dust
7429-90-5		particulate m	natter		ng/m ³ respirable	TWA	: 5 mg/m ³ respirable dust
					fraction		
				(vacated) TV	VA: 15 mg/m ³ total		
				() is a set of a	dust		
) TWA: 5 mg/m ³ rable fraction		
Chemical Name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Kaolin	ד	WA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA: 5 mg/m ³
1332-58-7							
Quartz	TW	/A: 0.025 mg/m ³	TWA: 0.0	25 mg/m ³	TWA: 0.10 mg/r	m³	TWA: 0.1 mg/m ³
14808-60-7							
Cellulose	TWA:	10 mg/m ³ TWA: 5	TWA: 1	0 mg/m³	TWA: 10 mg/m	1 ³	TWA: 10 mg/m ³ TWA: 5
9004-34-6		mg/m ³	TWA: 3	3 mg/m ³	-		mg/m ³
Aluminum	TWA:	10 mg/m ³ TWA: 5	TWA: 1.	0 mg/m ³	TWA: 1 mg/m ²	3	TWA: 10 mg/m ³ TWA: 5
7429-90-5		mg/m ³		-			mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Protective gloves. Rubber gloves. Nitrile rubber. Neoprene gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Propert	ties	
Physical state	Paste / Gel	
Appearance	Gray	
Odor	Solvent	
Color	No information available	
Odor Threshold	No information available	
Property	Values_	Remarks Method
рН	5.7	None known
pH Melting / freezing point	5.7 No data available	None known None known
•		
Melting / freezing point	No data available	None known
Melting / freezing point Boiling point / boiling range	No data available No data available	None known None known



Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Relative density** Water Solubility Solubility(ies) Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity **Explosive properties Oxidizing properties** Other Information

Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution

No data available 1.52 No data available Insoluble in water No data available No information available No information available No information available No information available 6 No information available

No information available

No information available

No information available

None known

None known

None known None known None known

None known

None known None known None known None known

10. STABILITY AND REACTIVITY

Reactivity	No information available. Chemical
stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationSpecific test data for the substance or mixture is not available. Corrosive by inhalation.
(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking,
headache, dizziness, and weakness for several hours. Pulmonary edema may occur with
tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and
increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.
Pulmonary edema can be fatal.Eye contactSpecific test data for the substance or mixture is not available. Causes burns. (based on

	components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Prolonged skin contact causes burns. Symptoms may be delayed.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
formation on toxical ariaal	

Information on toxicological effects

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity

No information available

Component Information			
Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	
Cellulose	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Prolonged skin contact causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Classification based on data available for ingredients. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	Х
Refractory ceramic fibers 142844-00-6	A2	Group 2B	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present



Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	No information available.
	12. ECOLOGICAL INFORMATION
Ecotoxicity	The environmental impact of this product has not been fully investigated.
Persistence and Degradability	No information available.
Bioaccumulation	There is no data for this product.
Mobility	No information available.
Other adverse effects	No information available.
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Aluminum	Ignitable powder
7429-90-5	

14. TRANSPORT INFORMATION

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON-REGULATED N/A
<u>TDG</u>	Not regulated
<u>MEX</u>	NOT REGULATED
ICAO	NOT REGULATED
IATA Proper Shipping Name	Not regulated NON REGULATED
IMDG	Not regulated

<u>RID</u>	NOT REGULATED
<u>ADR</u>	NOT REGULATED
ADN	NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight-%	SARA 313 - Threshold Values %	
Aluminum - 7429-90-5	7429-90-5	5-10	1.0	
Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden release of pressure hazard Reactive Hazard	Yes Yes No No No			

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive



Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

California Proposition 65
carcinogen, 10/1/1988 (airborne particles of respirable size)
Carcinogen

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Kaolin	Х	Х	Х		
1332-58-7					
Quartz	Х	Х	Х		Х
14808-60-7					
Cellulose	Х	Х	Х	-	Х
9004-34-6					
Aluminum	Х	Х	Х	Х	
7429-90-5					

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS Chronic Hazard Star Leg	Health hazards 3 end *= Chronic	Flammability 1 c Health Hazard	Physical hazards 0	Personal Protection X
Prepared By	Product Stewardship23 British American Blvd.Latham, NY 121101-800-572-6501			
ssuing Date 14-Aug-2017		017		
Revision Date	25-Jan-20	019		
Revision Note	No inform	nation available		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

